

Departures Naantali or Kapellskär more than 218 passengers

PASSENGER SHIP,

for MS Finnswan

according Memorandum of Understanding for the Transport of Packaged Dangerous Goods on Ro-Ro Ships in the Baltic Sea

Class	Deck 2, 3 and 5	Deck 7 ON DECK
1.1 – 1.6	X	X*
1.4S	P	P
2.1	X	X*
2.2	P 1)	P 1)
2.3	X	X
3 PG I +II	X	P
3 PG III	P	P
4.1 UN 1944 1945,2254,2623	P	P
4.1 Other	X	P
4.2	X	P
4.3	X*	P 2)
5.1	X*	P
5.2	X	X
6.1 PG I+II	X	P
6.1 PG III	P	P
6.2	X*	X*
7	X*	X*
8 corrosive PG I+II	X	X*
8 liquids PG III	X*	P
8 solids PG III	P	P
9	P	P

P = PERMITTED**X = NOT ALLOWED**

X* = if permitted under IMDG Code, those requirements may be applied (stowage categories A, B or C are acceptable. For class 1 neq max 10kg when compatibility group B, C, D, E or G. Class 6.2 and class 7 UN numbers 2908, 2909, 2910, 2911 and 3507 are acceptable by the Line's management approval)

1) Refrigerated gases of ADR or of stowage category "D" of the IMDG Code are prohibited.

2) For substances of class 4.3 in bulk, only waterproof CTUs shall be used. In addition for UNs 1395, 1398, 1405 and 1408 is required a certificate from the maker or shipper, stating that the shipment was stored under cover, but in the open air, in the size in which it was packaged, for not less than 3 days prior to shipment (the certificate is not required if transported in packagings).

Departures Naantali or Kapellskär max 218 passengers

PASSENGER SHIP,

for MS Finnswan

according Memorandum of Understanding for the Transport of Packaged Dangerous Goods on Ro-Ro Ships in the Baltic Sea

Class	Deck 2, 3 and 5	Deck 7 ON DECK
1.1 – 1.6	X	X*
1.4S	P	P
2.1	X	P
2.2	P 1)	P
2.3	X	P
3 PG I +II	X	P
3 PG III	P	P
4.1 UN 1944 1945,2254,2623	P	P
4.1 Other	X	P
4.2	X	P
4.3	X*	P 2)
5.1	P	P
5.2	X	P
6.1 PG I+II	X	P
6.1 PG III	P	P
6.2	X*	X*
7	X*	X*
8 corrosive PG I+II	X	P
8 liquids PG III	P	P
8 solids PG III	P	P
9	P	P

P = PERMITTED X = NOT ALLOWED

X* = if permitted under IMDG Code, those requirements may be applied (stowage categories A, B or C are acceptable. For class 1 neq max 10kg when compatibility group B, C, D, E or G. Class 6.2 and class 7 UN numbers 2908, 2909, 2910, 2911 and 3507 are acceptable by the Line's management approval)

- 1) Refrigerated gases of ADR or of stowage category "D" of the IMDG Code are prohibited.
- 2) For substances of class 4.3 in bulk, only waterproof CTUs shall be used. In addition for UNs 1395, 1398, 1405 and 1408 is required a certificate from the maker or shipper, stating that the shipment was stored under cover, but in the open air, in the size in which it was packaged, for not less than 3 days prior to shipment (the certificate is not required if transported in packagings).

Departures Naantali or Kapellskär more than 188 passengers

PASSENGER SHIP,

for vessel Finnfellow

according Memorandum of Understanding for the Transport of Packaged Dangerous Goods on Ro-Ro Ships in the Baltic Sea

Class	Deck 1, 3 and 5	Deck 7 ON DECK
1.1 – 1.6	X	X*
1.4S	P	P
2.1	X	X*
2.2	P 3)	P 3)
2.3	X	X
3 PG I +II	X	P
3 PG III	P	P
4.1 UN 1944 1945,2254,2663	P	P
4.1 Other	X	P
4.2	X	P
4.3	X*	P 1)
5.1	X*	P
5.2	X	X
6.1 PG I+II	X	P
6.1 PG III	P	P
6.2	X*	X*
7	X*	X*
8 corrosive PG I+II	X	X*
8 liquids PG III	X*	P
8 solids PG III	P	P
9	P	P

P = PERMITTED**X = NOT ALLOWED**

X* = if permitted under IMDG Code, those requirements may be applied (stowage categories A, B or C are acceptable. For class 1 neq max 10kg when compatibility group B, C, D, E or G. Class 6.2 and class 7 UN numbers 2908, 2909, 2910, 2911 and 3507 are acceptable by the Line's management approval)

1) The carriage of Aluminium ferrosilicon UN 1395, Aluminium silicon powder, uncoated UN 1398, Calcium silicide UN 1405 and Ferrosilicon UN 1408 when transported in bulk packagings, in containers, road vehicles or rail wagons, tank containers or demountable tanks is allowed only when accompanied by a certificate stating that the material was stored under cover, but in the open air, and that the particle size is representative of the material stored.

3) Refrigerated gases according ADR or according IMDG stowage category D are prohibited.

Departures Naantali or Kapellskär max 188 passengers
 PASSENGER SHIP, for vessel Finnfellow

according Memorandum of Understanding for the Transport of Packaged Dangerous Goods on Ro-Ro Ships in the Baltic Sea

Class	Deck 1, 3 and 5	Deck 7 ON DECK
1.1 – 1.6	X	X*
1.4S	P	P
2.1	X	P
2.2	P 3)	P
2.3	X	P
3 PG I +II	X	P
3 PG III	P	P
4.1 UN 1944 1945,2254,2663	P	P
4.1 Other	X	P
4.2	X	P
4.3	X*	P 1)
5.1	P	P
5.2	X	P
6.1 PG I+II	X	P
6.1 PG III	P	P
6.2	X*	X*
7	X*	X*
8 corrosive PG I+II	X	P
8 liquids PG III	P	P
8 solids PG III	P	P
9	P	P

P = PERMITTED X = NOT ALLOWED

X* = if permitted under IMDG Code, those requirements may be applied (For class 1 neq max 10kg when compatibility group B, C, D, E or G. Class 6.2 and class 7 UN numbers 2908, 2909, 2910, 2911 and 3507 are acceptable by the Line's management approval).

1) The carriage of Aluminium ferrosilicon UN 1395, Aluminium silicon powder, uncoated UN 1398, Calcium silicide UN 1405 and Ferrosilicon UN 1408 when transported in bulk packagings, in containers, road vehicles or rail wagons, tank containers or demountable tanks is allowed only when accompanied by a certificate stating that the material was stored under cover, but in the open air, and that the particle size is representative of the material stored.

3) Refrigerated gases according ADR or according IMDG stowage category D are prohibited